

# MVE165/MMG631

Linear and integer optimization with applications

## Lecture 8

Combinatorial optimization theory and algorithms

Ann-Brith Strömberg

2015-04-30

## Convexity

- Local and global optima

## Heuristics

- I Constructive heuristics
- II Local search methods
- III Approximation algorithms
- IV Meta-heuristics


# Convex sets

A set  $S$  is convex if, for any elements  $\mathbf{x}, \mathbf{y} \in S$  it holds that



$$\alpha \mathbf{x} + (1 - \alpha) \mathbf{y} \in S \quad \text{for all } 0 \leq \alpha \leq 1$$

Examples:

Convex sets



Non-convex sets



⇒ Integrality requirements ⇒ nonconvex feasible set

# Local vs. global optima

Consider a minimization problem

$$\min_{\mathbf{x} \in X} \mathbf{c}^T \mathbf{x}$$

- **Global optimum:**

A solution  $\mathbf{x}^* \in X$  such that  $\mathbf{c}^T \mathbf{x}^* \leq \mathbf{c}^T \mathbf{x}$  for all  $\mathbf{x} \in X$

- **$\varepsilon$ -neighbourhood of  $\bar{\mathbf{x}}$ :**  $N_\varepsilon(\bar{\mathbf{x}}) = \{\mathbf{x} \in X \mid \|\mathbf{x} - \bar{\mathbf{x}}\| \leq \varepsilon\}$

- The distance measure  $\|\mathbf{x} - \bar{\mathbf{x}}\|$  may be “freely” defined as, e.g., # arcs differing (Hamming distance), Euclidean, Manhattan, 2-interchange, ...

- **Local optimum:**

A solution  $\bar{\mathbf{x}} \in X$  such that  $\mathbf{c}^T \bar{\mathbf{x}} \leq \mathbf{c}^T \mathbf{x}$  for all  $\mathbf{x} \in N_\varepsilon(\bar{\mathbf{x}})$  for some  $\varepsilon > 0$

- Optimization problems with high complexity may be too time consuming to solve to optimality
- Heuristic algorithms can be utilized
- But: **Only local optimality** can then be guaranteed

Consider a minimization problem

$$\min_{x \in X} \mathbf{c}^T \mathbf{x}$$

- Start by an “empty set” and “add” elements according to some (simple) rule
- Sometimes no guarantee that even a feasible solution will be found
- No measure of how “close” to a global optimum a solution is
- Special rules for structured problems
- E.g. the **greedy** algorithm is a constructive heuristic (finds, however, optimal solution to minimum spanning tree)
- For TSP: nearest neighbour, cheapest insertion, farthest insertion, etc
- **EXAMPLE!**

Consider a minimization problem

$$\min_{\mathbf{x} \in X} \mathbf{c}^T \mathbf{x}$$

- Start from a feasible solution, which is iteratively improved by limited modifications
- Finds a local optimum
- No measure on how close to a global optimum a solution is
- Specialized for structured problems, but also general (Ch. 16.2)
- For TSP: e.g. 2-interchange, 3-interchange,
- **EXAMPLE!**

Consider a minimization problem

$$\min_{\mathbf{x} \in X} \mathbf{c}^T \mathbf{x}$$

A general local search algorithm

0. Initialization: Choose a feasible solution  $\mathbf{x}^0 \in X$ . Let  $k = 0$ .
1. Find all feasible points in an  $\varepsilon$ -neighbourhood  $N_\varepsilon(\mathbf{x}^k)$  of  $\mathbf{x}^k$
2. If  $\mathbf{c}^T \mathbf{x} \geq \mathbf{c}^T \mathbf{x}^k$  for all  $\mathbf{x} \in X \cap N_\varepsilon(\mathbf{x}^k) \Rightarrow$  Stop.  $\mathbf{x}^k$  is a local optimum (w.r.t.  $N_\varepsilon$ )
3. Choose  $\mathbf{x}^{k+1} \in X \cap N_\varepsilon(\mathbf{x}^k)$  such that  $\mathbf{c}^T \mathbf{x}^{k+1} < \mathbf{c}^T \mathbf{x}^k$
4. Let  $k := k + 1$  and go to step 1



Consider a minimization problem

$$\min_{\mathbf{x} \in X} \mathbf{c}^T \mathbf{x}$$

Properties of approximations algorithms

- Performance guarantee:  $\frac{\bar{z} - z^*}{z^*} \leq \alpha$  for some  $0 < \alpha \leq 1$
- Specialized algorithms for structured problems

## Example of an approximation algorithm

- The spanning tree approximation algorithm for the TSP
- Need some more definitions for this: Spanning trees and greedy algorithms

# The minimum spanning tree (MST) problem

- Given an undirected graph  $G = (N, E)$  with nodes  $N$ , edges  $E$  and distances  $d_{ij}$  for each edge  $(i, j) \in E$
- Find a subset of the edges that connects all nodes at minimum total distance
- The number of edges in a spanning tree is  $|N| - 1$
- A (spanning) tree contains *no cycles*
- MST is a very simple problem (a matroid) that can be solved by *greedy algorithms*

# Greedy algorithms for MST

## Prim's algorithm

- 1 Start at an arbitrary node
- 2 Among the nodes that are not yet connected, choose the one that can be connected at minimum cost
- 3 Stop when all nodes are connected

SOLVE AN EXAMPLE!

## Kruskal's algorithm

- 1 Sort the edges by increasing distances
- 2 Choose edges starting from the beginning of the list; skip edges resulting in cycles
- 3 Stop when all nodes are connected

SOLVE AN EXAMPLE!

# Spanning tree approximation algorithm for the TSP

Consider a TSP on an undirected graph  $G = (N, E, c)$

Assume

- $G$  complete  $\Leftrightarrow$  edges between all pairs of nodes
- $\Delta$ -inequality:  $c_{ij} \leq c_{ik} + c_{kj}$  for all  $i, j, k \in N$

DRAW!

Algorithm

- 1 Find a minimum spanning tree  $T \subset E$  on  $G$
- 2 Create a multigraph  $G'$  using *two copies* of each edge in  $T$
- 3 Find an Eulerian walk of  $G'$  and an embedded TSP-tour

Not longer than twice the optimal tour:

- Guarantee:  $\frac{\bar{z} - z^*}{z^*} \leq 1$
- EXAMPLE!

# Performance guarantee for the spanning tree approximation for TSP

## Theorem

$$\frac{\bar{z} - z^*}{z^*} \leq 1$$

## Bevis.

- Let  $c(\text{TSP}) = z^*$  and  $c(\text{tour}) = \bar{z}$
  - A spanning tree is a relaxation of a TSP:  
All subtour elimination constraints are fulfilled, but not the node valence (2 edges incident to each node)
- $\Rightarrow c(\text{MST}) \leq c(\text{TSP})$
- Two copies of each edge  $\Rightarrow c(\text{tour}) \leq 2c(\text{MST}) \leq 2c(\text{TSP})$
- $\Rightarrow \frac{c(\text{tour}) - c(\text{TSP})}{c(\text{TSP})} \leq 1$



Consider a minimization problem

$$\min_{\mathbf{x} \in X} \mathbf{c}^T \mathbf{x}$$

- Metaheuristics intend to be more efficient than just plain local search methods
- Includes tabu search, simulated annealing

- Start using a constructive heuristic  $\Rightarrow$  feasible solution
- The choice of definition of a neighbourhood is model specific (e.g. Euclidean distance, number of arcs differing, )
- Apply a local search algorithm
- Finds a *locally* optimal solution
- *No guarantee* to find global optimal solutions
- Extensions (e.g. tabu search): Temporarily allow worse solutions to “move away” from a local optimum (Ch. 16.5)
- Larger neighbourhoods yield better local optima, but takes more computation time to explore



# The historical development of TSP solution

Optimal solutions to TSP's of different sizes found

year	$n$
1954	49
1962	33
1977	120
1987	532
1987	666
1987	2392
1994	7397
1998	13509
2001	15112
2004	24978
2005/06	85900



## The worlds largest TSP solved “so far” (2004) ...

- A TSP of 24 978 cities and villages (red houses) in Sweden
- Optimal tour:  $\approx 72\,500$  km (855597 TSP LIB units)
- The tour of length 855 597 was found in March 2003 (Lin-Kernighan’s TSP heuristic)
- It was proven in May 2004 that no shorter tour exists
- A variety of heuristics, B&B, and cut generation algorithms
- The final stages that improved the lower bound from 855 595 up to 855 597 required  $\approx 8$  years of computation time (running in parallel on a network of Linux workstations)  
*“Without knowledge of the 855 597 tour we would not have made the decision to carry out this final computation”*
- New record in 2005/06: 85 900 locations in a VLSI application [www.tsp.gatech.edu/pla85900](http://www.tsp.gatech.edu/pla85900)
- [www.tsp.gatech.edu](http://www.tsp.gatech.edu), iPhone/iPad App: Concorde TSP