

MVE165/MMG631

Linear and integer optimization with applications

Lecture 12

Maximum flows and minimum cost flows—models
and algorithms

Ann-Brith Strömberg

2017-05-05

A district heating network

- Energy—in the form of hot water—is transported through a pipeline network with several sources and many destinations
- The network has several branches and junctions
- Pipe segment (i, j) has a maximum capacity of K_{ij} units of flow per time unit
- A pipe can be one- or bidirectional
- What is the maximum total amount of flow per time unit through this network?
- There may also be constraints on the temperature of the water at different points in the network
- Another application of the maximum flow model: evacuation of buildings (also time dynamics)

LP model for maximum flow problems

- Let x_{ij} denote the amount of flow through pipe segment (i, j) (flow direction $i \rightarrow j$)
- Let v denote the *total flow* from the source (node s) to the destination (node t)
- *Graph*: $G = (V, A, \mathbf{K})$ (nodes, directed arcs, arc capacities)
(an undirected edge is represented by two directed arcs)

$$\begin{array}{ll}
 \max_{x,v} & v, & \text{maximize total flow, } t \text{ to } s \\
 \text{s.t.} & \sum_{j:(s,j) \in A} (-x_{sj}) + v = 0, & \text{flow balance, node } s \\
 & \sum_{i:(i,t) \in A} x_{it} - v = 0, & \text{flow balance, node } t \\
 & \sum_{i:(i,k) \in A} x_{ik} + \sum_{j:(k,j) \in A} (-x_{kj}) = 0, \quad k \in V \setminus \{s, t\} & \text{flow balance, node } k \\
 & x_{ij} \leq K_{ij}, \quad (i, j) \in A & \text{capacity, arc } (i, j) \\
 & x_{ij} \geq 0, \quad (i, j) \in A & \text{nonnegative flow} \\
 & & \text{[Draw!!]}
 \end{array}$$

A solution method for maximum flow problems (Edmonds & Karp, 1972)

- 1 Let $k := 0$, $v^0 := 0$, $x_{ij}^0 := 0$, and $u_{ij}^0 := K_{ij}$, $(i, j) \in A$.
- 2 Find a *maximum capacity path* $P^k \subset A$ from s to t (modified shortest path algorithm). The capacity of P^k is $\hat{u}^k := \min \{ \min \{ u_{ij}^k \mid (i, j) \in P^k \}; \min \{ x_{ij}^k \mid (j, i) \in P^k \} \}$.
If $\hat{u}^k = 0$, go to step 4.
- 3 Update the flows $x_{ij}^{k+1} := \begin{cases} x_{ij}^k + \hat{u}^k, & \text{if } (i, j) \in P^k, \\ x_{ij}^k - \hat{u}^k, & \text{if } (j, i) \in P^k, \\ x_{ij}^k, & \text{otherwise,} \end{cases}$
the capacities $u_{ij}^{k+1} := \begin{cases} u_{ij}^k - \hat{u}^k, & \text{if } (i, j) \in P^k, \\ u_{ij}^k + \hat{u}^k, & \text{if } (j, i) \in P^k, \\ u_{ij}^k, & \text{otherwise,} \end{cases}$
and the total flow $v^{k+1} := v^k + \hat{u}^k$. Let $k := k+1$, go to step 2.
- 4 The maximum total flow equals v^k .
The flow solution is given by x_{ij}^k , $(i, j) \in A$.

LP dual of the maximum flow model

Primal

$$\begin{aligned}
 & \max_{x,v} && v, \\
 \text{s.t.} &&& - \sum_{j:(s,j) \in A} x_{sj} + v = 0, \\
 &&& \sum_{i:(i,t) \in A} x_{it} - v = 0, \\
 &&& \sum_{i:(i,k) \in A} x_{ik} - \sum_{j:(k,j) \in A} x_{kj} = 0, \quad k \in V \setminus \{s, t\} \\
 &&& 0 \leq x_{ij} \leq K_{ij}, \quad (i,j) \in A
 \end{aligned}$$

Dual

$$\begin{aligned}
 & \min_{\pi, \gamma} && \sum_{(i,j) \in A} K_{ij} \gamma_{ij}, \\
 \text{s.t.} &&& -\pi_i + \pi_j + \gamma_{ij} \geq 0, \quad (i,j) \in A \\
 &&& -\pi_t + \pi_s = 1, \\
 &&& \pi_k \text{ free}, \quad k \in V, \\
 &&& \gamma_{ij} \geq 0, \quad (i,j) \in A
 \end{aligned}$$

[Draw!!]

Maximum flow – Minimum cut theorem

- An (s, t) -cut is a set of arcs which—when deleted—interrupt all flow in the network between the source s and the sink t
- The cut capacity equals the sum of capacities on all the arcs through the (s, t) -cut
- Finding the minimum (s, t) -cut is equivalent to solving the dual of the maximum flow problem

Theorem (Weak duality)

- (i) Each feasible flow x_{ij} , $(i, j) \in A$, yields a lower bound on v^* .
- (ii) The capacity of each (s, t) -cut is an upper bound on v^* .

Theorem (Strong duality)

value of maximum flow = capacity of minimum cut

Optimal values of the dual variables

$$\gamma_{ij} = \begin{cases} 1, & \text{if arc } (i,j) \text{ passes through the minimum cut,} \\ 0, & \text{otherwise.} \end{cases}$$

$$\pi_k = \begin{cases} 1, & \text{if node } k \text{ can be reached from } s, \\ 0, & \text{otherwise.} \end{cases}$$

How is the minimum cut found using the Edmonds & Karp algorithm?


General minimum cost network flow problems

- A network consist of a set N of *nodes* linked by a set A of *arcs*
- A distance/cost c_{ij} is associated with each arc
- Each node i in the network has a net demand d_i
- Each arc carries an (unknown) amount of flow x_{ij} that is restricted by a maximum capacity $u_{ij} \in [0, \infty]$ and a minimum capacity $\ell_{ij} \in [0, u_{ij}]$
- The flow through each node must be *balanced*
- A network flow problem can be formulated as a linear program
- All extreme points of the feasible set are *integral* – due to the *unimodularity* property of the constraint matrix (see Ch. 8.6.3)

Minimum cost flow in a general network: Example

- Two paper mills: Holmsund and Tuna
- Three saw mills: Silje, Graninge and Lunden
- Two storage terminals: Norrstig and Mellansel

Facility	Supply (m^3)	Demand (m^3)
Silje	2400	
Graninge	1800	
Lunden	1400	
Holmsund		3500
Tuna		2100



Minimum cost flow in a general network: Example


Transportation opportunities

From	To	Price/m ³	Capacity (m ³)
Silje	Norrstig	20	900
Silje	Mellansel	26	1000
Silje	Holmsund	45	1100
Graninge	Norrstig	8	700
Graninge	Mellansel	14	900
Graninge	Holmsund	37	600
Graninge	Tuna	22	600
Lunden	Mellansel	32	600
Lunden	Tuna	23	1000
Norrstig	Holmsund	11	1800
Norrstig	Mellansel	9	1800
Mellansel	Norrstig	9	1800
Mellansel	Tuna	9	1800

Minimum cost flow in a general network: Example

- Objective: Minimize transportation costs
- Satisfy demand
- Do not exceed the supply
- Do not exceed the transportation capacities

An optimal solution



Minimum cost flow in a general network: Example

$$\begin{aligned}
 \min_x z := & 20x_{SN} + 26x_{SM} + 45x_{SH} + 8x_{GN} + 14x_{GM} \\
 & + 37x_{GH} + 22x_{GT} + 32x_{LM} + 23x_{LT} + 11x_{NH} \\
 & + 9x_{NM} + 9x_{MN} + 9x_{MT} \\
 \text{subject to} & \quad -x_{SN} - x_{SM} - x_{SH} = -2400 \quad (\text{Silje}) \\
 & \quad -x_{GN} - x_{GM} - x_{GH} - x_{GT} = -1800 \quad (\text{Graninge}) \\
 & \quad \quad -x_{LM} - x_{LT} = -1400 \quad (\text{Lunden}) \\
 & \quad \quad \quad x_{SN} + x_{GN} + x_{MN} - x_{NM} - x_{NH} = 0 \quad (\text{Norrstig}) \\
 & \quad x_{SM} + x_{LM} + x_{GM} + x_{NM} - x_{MN} - x_{MT} = 0 \quad (\text{Mellansel}) \\
 & \quad \quad \quad \quad x_{SH} + x_{GH} + x_{NH} = 3500 \quad (\text{Holmsund}) \\
 & \quad \quad \quad \quad \quad x_{GT} + x_{LT} + x_{MT} = 2100 \quad (\text{Tuna}) \\
 & \quad \quad \quad \quad \quad \quad 0 \leq x_{SN} \leq 900 \\
 & \quad \quad \quad \quad \quad \quad 0 \leq x_{SM} \leq 1000 \\
 & \quad \quad \quad \quad \quad \quad 0 \leq x_{SH} \leq 1100 \\
 & \quad \quad \quad \quad \quad \quad 0 \leq x_{GN} \leq 700 \\
 & \quad \quad \quad \quad \quad \quad 0 \leq x_{GM} \leq 900 \\
 & \quad \quad \quad \quad \quad \quad 0 \leq x_{GH} \leq 600 \\
 & \quad \quad \quad \quad \quad \quad 0 \leq x_{GT} \leq 600 \\
 & \quad \quad \quad \quad \quad \quad 0 \leq x_{LM} \leq 600 \\
 & \quad \quad \quad \quad \quad \quad 0 \leq x_{LT} \leq 1000 \\
 & \quad \quad \quad \quad \quad \quad 0 \leq x_{NH} \leq 1800 \\
 & \quad \quad \quad \quad \quad \quad 0 \leq x_{NM} \leq 1800 \\
 & \quad \quad \quad \quad \quad \quad 0 \leq x_{MN} \leq 1800 \\
 & \quad \quad \quad \quad \quad \quad 0 \leq x_{MT} \leq 1800
 \end{aligned}$$

The columns \mathbf{A}_j of the equality constraint matrix ($\mathbf{Ax} = \mathbf{b}$) have one 1-element, one -1 -element; the remaining elements are 0
 \Rightarrow the matrix \mathbf{A} is totally unimodular

Minimum cost flows in general networks

- A network $G = (N, A)$ with nodes N and arcs A , $|N| = n$
- x_{ij} = flow through arc $(i, j) \in A$
- ℓ_{ij} and u_{ij} are lower and upper limits on x_{ij}
- c_{ij} = cost per unit flow on arc (i, j)
- d_i = demand in node i (negative demand = positive supply)

LP model

$$\begin{aligned} \min_x \quad & \sum_{(i,j) \in A} c_{ij} x_{ij}, \\ \text{s.t.} \quad & \sum_{i:(i,k) \in A} x_{ik} - \sum_{j:(k,j) \in A} x_{kj} = d_k, \quad k \in N, \\ & \ell_{ij} \leq x_{ij} \leq u_{ij}, \quad (i,j) \in A. \end{aligned}$$

Minimum cost flows in general networks: LP model and dual

The linear optimization model

$$\begin{aligned} \min_x \quad & \sum_{(i,j) \in A} c_{ij} x_{ij}, \\ \text{s.t.} \quad & \sum_{i:(i,k) \in A} x_{ik} - \sum_{j:(k,j) \in A} x_{kj} = d_k, \quad k \in N, \\ & l_{ij} \leq x_{ij} \leq u_{ij}, \quad (i,j) \in A. \end{aligned}$$

Linear programming dual

$$\begin{aligned} \max_{y, \alpha, \beta} \quad & \sum_{k \in N} d_k y_k + \sum_{(i,j) \in A} (l_{ij} \alpha_{ij} - u_{ij} \beta_{ij}), \\ \text{s.t.} \quad & y_j - y_i + \alpha_{ij} - \beta_{ij} = c_{ij}, \quad (i,j) \in A, \\ & \alpha_{ij}, \beta_{ij} \geq 0, \quad (i,j) \in A. \end{aligned}$$

The simplex method for minimum cost network flows (Ch. 8.7)

A solution is optimal if

- the primal and dual solutions are feasible and
- the complementarity conditions are fulfilled

Reduced costs

$$\bar{c}_{ij} = c_{ij} + y_i - y_j, \quad (i, j) \in A$$

Complementary conditions, $(i, j) \in A$

- $\alpha_{ij}(x_{ij} - \ell_{ij}) = 0$
- $\beta_{ij}(u_{ij} - x_{ij}) = 0$
- $x_{ij}(\bar{c}_{ij} - \alpha_{ij} + \beta_{ij}) = 0$

The simplex method for minimum cost network flows

Feasibility condition

Assume that $l_{ij} < u_{ij}$ holds for all $(i, j) \in A$

A feasible solution x_{ij} , $(i, j) \in A$, is optimal if the following hold

- $x_{ij} = u_{ij} \Rightarrow \alpha_{ij} = 0 \quad \Rightarrow$ Reduced cost: $\bar{c}_{ij} = -\beta_{ij} \leq 0$
- $x_{ij} = l_{ij} \Rightarrow \beta_{ij} = 0 \quad \Rightarrow$ Reduced cost: $\bar{c}_{ij} = \alpha_{ij} \geq 0$
- $l_{ij} < x_{ij} < u_{ij} \Rightarrow \alpha_{ij} = \beta_{ij} = 0 \quad \Rightarrow$ Reduced cost: $\bar{c}_{ij} = 0$

A *basic solution* is characterized by the following

- If $l_{ij} < x_{ij} < u_{ij} \Rightarrow$ the arc (i, j) is in the *basis*
 $\Leftrightarrow x_{ij}$ is a basic variable
- If $x_{ij} = l_{ij}$ or $x_{ij} = u_{ij} \Rightarrow$ the arc (i, j) *may be* in the *basis*
 $\Leftrightarrow x_{ij}$ *may be* a basic variable
- The $n - 1$ *basic arcs* form a *spanning tree* in G (one primal equation is a linear combination of the rest – can be removed)

The simplex method for minimum cost flows

- 1 Find a feasible solution (a spanning tree of basic arcs)^a
- 2 Compute reduced costs $\bar{c}_{ij} = c_{ij} + y_i - y_j$ for all non-basic arcs
- 3 Check termination criteria: If, for every arc (i, j) ,
 - either: $\bar{c}_{ij} = 0$ and $\ell_{ij} \leq x_{ij} \leq u_{ij}$,
 - or: $\bar{c}_{ij} < 0$ and $x_{ij} = u_{ij}$,
 - or: $\bar{c}_{ij} > 0$ and $x_{ij} = \ell_{ij}$hold, then STOP. $x_{ij}, (i, j) \in A$ form an optimal solution
- 4 *Entering variable (arc)*: $(p, q) \in \arg \max_{(i,j) \in I} |\bar{c}_{ij}|$
 $I =$ the set of non-basic arcs *not* fulfilling the conditions in 3
- 5 *Leaving variable (arc)*: Send flow along the cycle defined by the current *basis* (spanning tree) and the arc (p, q) . The arc (i, j) whose flow x_{ij} first reaches u_{ij} or ℓ_{ij} leaves the basis
- 6 Go to step 2

^aFor the basic arcs (variables), the reduced costs $\bar{c}_{ij} := c_{ij} + y_i - y_j = 0$. Letting $y_1 := 0$ the values of $y_i, i \in N$, are then given by these equalities.