

# Computer Exercise TMA026 - 2 Bonus Points

May 8, 2015

The purpose of this computer exercise is to get acquainted with the FEniCS software by performing a convergence study for an elliptic problem. Consider the following boundary value problem

$$\begin{cases} -\nabla \cdot (a\nabla u) + bu = f & \text{in } \Omega, \\ u = u_D & \text{on } \Gamma_D, \\ -a\frac{\partial u}{\partial n} = u_N & \text{on } \Gamma_N, \\ -a\frac{\partial u}{\partial n} = k(u - u_R) & \text{on } \Gamma_R, \end{cases} \quad (1)$$

for some non-constant functions  $a, b, f, k$  and some non-zero functions  $u_D, u_N, u_R$ .

**Task 1** Create an “exact solution” in the following way. Choose a rather simple domain  $\Omega$  (rectangle, circle, square) and some simple coefficient functions  $a, b, k$ . Then choose a nontrivial function  $u$  and compute the corresponding data functions  $f, u_D, u_N, u_R$ . That is  $f = -\nabla \cdot (a\nabla u) + bu$  and so on.

**Task 2** After reading the tutorial available online about elliptic problems<sup>1</sup> and multiple boundary conditions<sup>2</sup>, download the FEniCS software<sup>3</sup> and the demos<sup>4</sup> and understand how simpler versions of the problem (1) could be solved using FEniCS, paying particular attention to the difference between single and multiple Neumann/Robin boundary conditions and to how the convergence/error analysis is performed.

**Task 3** Compute the finite element solution  $u_h$  for the problem (1), for a sequence of meshes, and create a table of the errors  $\|u - u_h\|$  and  $|u - u_h|_1$  as functions of the mesh-size  $h$ . Determine the order of convergence.

This kind of convergence study is not only an illustration of the theory but more importantly it is used as a test of the computer program: a minor programming error can result in a non-optimal convergence rate.

**Task 4** If an analytical solution to a problem is not known one can use the solution on the finest mesh as a reference solution in the convergence study. Find a data set (by changing e.g.  $u_D$  or  $a$ ) for which the optimal convergence rate (achieved for smooth data) is not achieved.

---

<sup>1</sup><http://fenicsproject.org/documentation/tutorial/fundamentals.html>

<sup>2</sup><http://fenicsproject.org/documentation/tutorial/materials.html>

<sup>3</sup><http://fenicsproject.org/download/>

<sup>4</sup><http://fenicsproject.org/pub/book/chapters/01/stationary/poisson/>

Notice that the FEniCS book is freely available online<sup>5</sup>. The study of the first chapter, “A FEniCS tutorial”, pages 1 – 75, is strongly recommended.

---

<sup>5</sup><https://launchpadlibrarian.net/83776282/fenics-book-2011-10-27-final.pdf>