TMA521/MMA510 Optimization, project course

Project 2, the competition

Michael Patriksson and Ann-Brith Strömberg 2009–10–12

The competition 2009

- The competition takes place on Wednesday, 14 October at 11.00–11.15 in room MVF:23.
- The SCP instances for the competition will be released on Wednesday, 14 October, at 9.00 on the course homepage.
- The instances will be found at http://people.brunel.ac.uk/~mastjjb/jeb/orlib/files/
- All computations must be made on a linux computer in Mathematical Sciences students' lab

The table below should be filled in

	optimal	optimal	bundl	undle+heuristic (a):		heuristic (b):			heuristic:		
prob.	primal	dual value	time $\leq a_i$			time $\leq b_i$			value $\leq \bar{z}_i$		
name	value	/ lower	val.	time	$_{ m time}$	val.	time	time	val.	time	value
		bound	*	(s)	limit	*	(s)	limit		(s) *	limit
scpb3	80				50			5			82
scpd3	72				150			30			74
scpcyc09	780				360			60			810
Average values:											

• The columns marked with * constitute the competition tasks

Clock time and value limits

- Clock time limits for the respective problems and settings:
 - (a) Counting from the initialization of the problem: a_1 , a_2 , and a_3 seconds, respectively.
 - (b) Counting from the completion of the bundle code: b_1 , b_2 , and b_3 seconds, respectively.
- The value limits for the respective problems:
 - (c) The upper bounds \bar{z}_1 , \bar{z}_2 , and \bar{z}_3 respectively.

Three winners will be announced

(I) The group that on average reaches the best feasible solutions within the fixed CPU time according to (a).

(II) The group that on average reaches the best feasible solutions within the fixed CPU time according to (b).

(III) The group that on shortest average time reaches a feasible solution with value less than or equal to the upper bounds according to (c)