Optimality conditions for unconstrainted and convexly constrainted optimization.

Niclas Andréasson

29 januari 2004

Uppvärmning

Övning 1. Find the rectangular parallelepiped of unit volume that has the minimum surface area. $\square$

Unconstrainted optimization

Övning 2. Consider the parametric minimization problem to

$$\underset{x_1, x_2}{\text{minimize}} \ \frac{3}{2}(x_1^2 + x_2^2) + (1 + a)x_1 x_2 - (x_1 + x_2) + b, \tag{1}$$

where a and b are some unknown real-valued parameters.

Find all possible values of a and b such that the problem (1) possesses a unique globally optimal solution. Write down this solution (in terms of the parameters a and b). $\square$

Övning 3. Let $\boldsymbol{A}$ be a symmetric $n \times n$ matrix. For $\boldsymbol{x} \in \mathbb{R}^n$ such that $\boldsymbol{x} \neq \boldsymbol{0}^n$, consider the function

$$\rho(\boldsymbol{x}) = \frac{\boldsymbol{x}^{\mathrm{T}} \boldsymbol{A} \boldsymbol{x}}{\boldsymbol{x}^{\mathrm{T}} \boldsymbol{x}},$$

and the related optimization problem to

$$\underset{x \neq 0^n}{\text{minimize}} \;\; \rho(\boldsymbol{x}). \tag{2}$$

Determine all the stationary points as well as the global minima in the minimization problem (2). $\square$

Constrainted optimization

Övning 4. Among all rectangles contained in a given circle, show that the one that has maximal area must be a square. $\square$

Övning 5. Consider the positive orthant

$$S = \{\, \boldsymbol{x} \in \mathbb{R}^n \mid \boldsymbol{x} \geq \mathbf{0}^n \,\}.$$

Derive necessary optimality conditions for the problem to

$$\begin{aligned} \text{minimize} \quad & f(\boldsymbol{x}) \\ \text{subject to} \quad & \boldsymbol{x} \in S, \end{aligned}$$

where $f \in C^1$. $\square$

Övning 6. Consider the problem to

$$\begin{aligned} &\text{maximize} && x_1^{a_1} x_2^{a_2} \cdots x_n^{a_n} \\ &\text{subject to} && \sum_{i=1}^{n} x_i = 1, \quad x_i \geq 0, \quad i = 1, \ldots, n, \end{aligned}$$

where a_i are given positive scalars. Find a global maximum and show that it is unique. $\square$