

MMA320 Introduction to Algebraic Geometry
Exercises for Chapter 4

- 4.1. Every non empty Hausdorff space has Krull dimension 0.
- 4.2. An affine or projective algebraic set of dimension 0 consists of finitely many points.
- 4.3. A local ring of dimension 0 consists only of units and nilpotent elements.
- 4.4. Show that the ring $k[[X_1, \dots, X_n]]$ of *formal* power series over a field k is a local ring.
- 4.5. Let I be an ideal in a ring R . Show that $\dim I = \dim \sqrt{I}$.
- 4.6. Let $R = k[X, Y, Z]/(XZ, YZ)$. What is the dimension of R ? Show that R contains maximal chains of prime ideals of different lengths. Let $P = (0, 0, 1)$. What is the dimension of the local ring $R_{\mathfrak{m}_P}$, where \mathfrak{m}_P is the maximal ideal of P ?
- 4.7. Let $R \subset S$ be a ring extension. Suppose that the set $S \setminus R$ is closed under multiplication. Show that R is integrally closed in S .
- 4.8. Let $R \subset S$ be an integral extension. If $x \in R$ is a unit in S , then x is a unit in R .
- 4.9. Find the normalisation \tilde{R} of the ring $R = k[X, Y, Z]/(X^2 - Y^2Z)$. The inclusion $R \subset \tilde{R}$ induces a map from an affine variety to $V(X^2 - Y^2Z)$. Is it surjective? In the case $k = \mathbb{C}$, what can one say about the real points?
- 4.10. Find the normalisation \tilde{R} of the ring $R = k[X, Y]/(Y^2 - X^{2k+1})$.
- 4.11. Let $R \subset S$ be a ring extension and let T be the integral closure of R in S . Show that T is integrally closed in S .
- 4.12. Show that $k[Z] \subset k[X, Y, Z]/(X^2, Y^2, XYZ)$ is a Noether normalisation. Find the dimension of the associated primes.
- 4.13. Let I be the ideal in $k[X_1, X_2, X_3, X_4]$ generated by the maximal minors of the matrix

$$\begin{pmatrix} X_1 & X_2 & X_3 \\ X_2 & X_3 & X_4 \end{pmatrix}.$$

Find a Noether normalisation of $k[X_1, X_2, X_3, X_4]$ as in theorem 4.33.