

## Financial Risk 4-rd quarter 2018/19

Copyright © by Randy Glasbergen. www.glasbergen.com




"As an alternative to the traditional 30-year mortgage, we also offer an interest-only mortgage, balloon mortgage, reverse mortgage, upside down mortgage, inside out mortgage, loop-de-loop mortgage, and the spinning double axel mortgage with a triple lutz."



Gudrun January 2005
326 MEuro loss
72 % due to forest losses
4 times larger than second largest

#### **Dependence: Extreme Value Statistics for stationary time series** (Coles p. 92-104)



- typically  $P(M_n \le x) \approx F(x)^{\theta n}$  for *n* large
- typically clusters asymptotically i.i.d., dependence within clusters
- typically tail of cluster maxima asymptotically same as  $\bar{F}(x)$  !!
- typically the EV distributions the only possible limit distributions

### The block maxima method for stationary time series

If blocks are sufficiently long, then block maxima (typically) are approximately independent, and one can use Extreme Value Statistics in precisely the same way as for i.i.d. sequences

## The PoT method for stationary time series

- **1.** Decluster: identify approximately i.i.d clusters of large values by a) Block method: divide observations up into blocks of a fixed length r, all values in a block which exceed the level *u* is a cluster b) Blocks-runs method: the first cluster starts at first exceedance of u and contains all exesses of u within a fixed length r thereafter.
  - The second cluster starts at the next exceedance of *u* and contains all excesses of *u* within *r* thereafter, and so on...
  - c) Runs method: the first cluster starts with the first exceedance of u and stops as soon as there is a value below *u*, the second cluster starts with the next exceedance of *u*, and so on ...
- 2.  $\hat{\theta} = \frac{\text{no. of clusters}}{\text{no. of exceedances}}$  estimate of the *extremal index*

- 3. PoT: Use standard i.i.d. PoT model, but with excesses replaced by cluster maxima, and excedance times replaced by the times when cluster maxima occur.
- **4.** Use  $P(M_n \le x) \approx F(x)^{\theta n}$  to switch between block maxima and PoT


# Estimating value at risk by extreme value methods;

(Sarah Lauridsen, Extremes 3, 107-144, 2000)

VaR = high quantiles of the loss-profits distribution


- empirical quantiles
- unconditional Gaussian method
- conditional Gaussian method
- GEV + different extremal index estimators
- GP pretending independence
- GP with declustering
- GARCH + GP residuals, conditional
- GARCH + GP residuals, unconditional

#### Compared, and evaluated via backtesting




Synthetic portfolio: 50 MDKK Danske Bank + 50 MDKK Jydske Bank

#### **Empirical and Normal**



histogram with estimated normal density (13 left values and 10 right values not shown)



VaR in mDKr estimated by Gaussian and empirical method								
1-day VaR	95%	96%	97%	98%	99%	99.9%	99.99%	
Gaussian method	-1.93	-2.05	-2.21	-2.42	-2.75	- 3.67	-4.42	
Empirical method	- 1.66	-1.85	-2.07	-2.43	-3.10	- 7.55	—	

To assume returns normally distributed and i.i.d. gives easy calculations, also for complex portfolios

-- but, distribution doesn't fit in the tails, independence not OK

-- the empirical method gives no estimates for extreme quantiles





Figure 3. Auto correlograms for the searce of daily returns on the bank positions. The returns have been transformed to have Gaussian marginals.

checked dependence by transforming to normal marginal distribution and computing correlations  $\rightarrow$  clear and strong dependence

Block Maxima for 42 days approximately independent (figure not shown)

#### **Block Maxima**



EV distribution fits the data well, and 42 days maxima interesting for firm survival, but how can one get from there to overnight VaR?


 $\alpha$ - quantile of overnight P&L-distribution estimated by  $\alpha^{n\theta}$ - quantile of n-day maxima

- But  $\theta$  difficult to estimate


## Garch

fit Garch model, compute residuals, fit GP distribution to residuals, compute quantiles of the resulting estimated distribution of returns (computation done by simulation).

Can be done *conditionally*, using volatility today to compute quantiles for the portfolio tomorrow or *unconditionally* – for longtime behavior of portfolio



PoT



		Backtesting	results, violati Empirical me		VaR		
Portfolio S&P 500	95% 119 (99.3) 101 (159.9)	96% 100 (79.4) 77 (127.9)	97% 74 (59.6) 55 (95.9)	98% 56 (39.7) 35 (64.0)	99% 30 (19.9) 20 (32.0)	99.9% 1 (2.0) 3 (3.2)	99.99% - (0.2) - (0.3)
B&O	90 (99.3)	72 (79.4)	53 (59.6)	35 (39.7)	19 (19.9)	0 (2.0)	- (0.2)
Carlsberg DS 1912	81 (99.3) 117 (99.3)	68 (79.4) 93 (79.4)	56 (59.6) 73 (59.6)	39 (39.7) 52 (39.7)	17 (19.9) 27 (19.9)	$0(2.0) \\ 3(2.0)$	- (0.2) - (0.2)
ISS Novo B	148 (99.3) 113 (99.3)	126 (79.4) 90 (79.4)	93 (59.6) 70 (59.6)	63 (39.7) 49 (39.7)	23 (19.9) 26 (19.9)	$\frac{1}{2} (2.0) \\ \frac{2}{(2.0)} \\ $	- (0.2) - (0.2)
Svendborg	122 (99.3)	96 (79.4)	77 (59.6)	55 (39.7)	30 (19.9)	4 (2.0)	- (0.2)
		Uncon	nditional Gaus	sian method			
Portfolio	95% 76 (99.3)	96% 66 (79.4)	97% 62 (50 6)	98% 47 (20.7)	99% 30.(10.0)	99.9% 16 (2 0)	99.99%
S&P 500 B&O	76 (99.3) 101 (159.9) 61 (99.3)	66 (79.4) 79 (127.9) 56 (79.4)	62 (59.6) 59 (95.9) 49 (59.6)	47 (39.7) 36 (64.0) 40 (39.7)	30 (19.9) 22 (32.0) 28 (19.9)	16 (2.0) 5 (3.2) 13 (2.0)	$ \begin{array}{c} 10 & (0.2) \\ 3 & (0.3) \\ 9 & (0.2) \end{array} $
Carlsberg DS 1912	63 (99.3) 105 (99.3)	55 (79.4) 95 (79.4)	48 (59.6) 85 (59.6)	40 (39.7) 39 (39.7) 67 (39.7)	28 (19.9) 27 (19.9) 48 (19.9)	10(2.0) 11(2.0) 19(2.0)	5 (0.2) 5 (0.2) 8 (0.2)
ISS Novo B	81 (99.3) 88 (99.3)	67 (79.4) 72 (79.4)	57 (59.6) 61 (59.6)	41 (39.7) 54 (39.7)	48 (19.9) 29 (19.9) 41 (19.9)	$   \begin{array}{r}     19 (2.0) \\     19 (2.0) \\     16 (2.0)   \end{array} $	$ \begin{array}{c} 0.2 \\ 11 \\ 7 \\ 0.2 \end{array} $
Svendborg	108 (99.3)	98 (79.4)	84 (59.6)	73 (39.7)	57 (19.9)	10 (2.0) 22 (2.0)	9 (0.2)
		C	Conditional Ga	ussian			
	95%	96%	97%	98%	99%	99.9%	99.99%
Portfolio S&P 500	77 (99.3) 151 (159.9)	64 (79.4) 127 (127.9)	51 (59.6) 88 (95.9)	41 (39.7) 61 (64.0)	27 (19.9) 33 (32.0)	10 (2.0) 7 (3.2)	6 (0.2) 4 (0.3)
B&O Carlahara	71 (99.3)	61 (79.4) 52 (70.4)	53 (59.6)	42 (39.7)	27 (19.9)	11(2.0)	7 (0.2)
Carlsberg DS 1912 ISS	60 (99.3) 90 (99.3) 90 (98.2)	53 (79.4) 71 (79.4) 80 (78.6)	44 (59.6) 57 (59.6) 70 (58.9)	36 (39.7) 45 (39.7) 53 (39.3)	26 (19.9) 23 (19.9) 37 (19.6)	11 (2.0) 9 (2.0) 18 (2.0)	5 (0.2) 4 (0.2) 14 (0.2)
Novo B Svendborg	72 (99.3) 97 (99.3)	61 (79.4) 87 (79.4)	46 (59.6) 72 (59.6)	37 (39.7) 52 (39.7)	24 (19.9) 31 (19.9)	8 (2.0) 10 (2.0)	3 (0.2) 4 (0.2)
		GEV and simpl	e blocks estin	nator (95% thr	eshold)		
	95%	96%	97%	98%	99%	99.9%	99.99%
Portfolio	71 (99.3)	57 (79.4)	36 (59.6)	19 (39.7)	11 (19.9)	0(2.0)	0(0.2)
S&P B&O	43 (159.9) 54 (99.3)	37 (127.9) 46 (79.4)	25 (95.9) 34 (59.6)	15 (64.0) 23 (39.7)	8 (32.0) 8 (19.9)	2 (3.2) 0 (2.0)	$1(0.3) \\ 0(0.2)$
Carlsberg	40 (99.3)	33 (79.4)	24 (59.6)	16 (39.7)	7 (19.9)	0 (2.0)	0 (0.2)
DS 1912	66 (99.3)	55 (79.4)	44 (59.6)	28 (39.7)	14 (19.9)	1(2.0)	0 (0.2)
ISS	79 (99.1)	60 (79.3)	36 (59.5)	20 (39.6)	11 (19.8)	0 (2.0)	0 (0.2)
Novo B	62 (99.3)	54 (79.4)	40 (59.6)	26 (39.7)	11 (19.9)	1 (2.0)	0 (0.2)
Svendborg	77 (99.3)	67 (79.4)	54 (59.6)	34 (39.7)	12 (19.9)	1 (2.0)	0 (0.2)

# Backtesting

 compute VaR from the first six years of data, see if it "is violated", i.e. if next days return is lower than VaR, repeat again using six years of data but starting one day later, two days later, ... count number of violations

# • expected no. of violations in parentheses

		Backtesting GEV and simpl	results, violatic e blocks estima				
	95%	96%	97%	98%	99%	99.9%	99.99%
Portfolio	140 (99.3)	106 (79.4)	78 (59.6)	56 (39.7)	17 (19.9)	1 (2.0)	0 (0.2)
S&P500	79 (159.9)	56 (127.9)	36 (95.9)	25 (64.0)	13 (32.0)	2 (3.2)	2 (0.3)
B&O	80 (99.3)	63 (79.4)	51 (59.6)	38 (39.7)	15 (19.9)	0 (2.0)	0 (0.2)
Carlsberg	80 (99.3)	70 (79.4)	51 (59.6)	33 (39.7)	16 (19.9)	0 (2.0)	0 (0.2)
DS 1912	108 (99.3)	94 (79.4)	75 (59.6)	48 (39.7)	23 (19.9)	4 (2.0)	0 (0.2)
ISS	157 (99.1)	129 (79.3)	97 (59.5)	61 (39.6)	23 (19.8)	2 (2.0)	0 (0.2)
Novo B	115 (99.3)	93 (79.4)	71 (59.6)	49 (39.7)	25 (19.9)	2 (2.0)	0 (0.2)
Svendborg	125 (99.3)	106 (79.4)	82 (59.6)	60 (39.7)	26 (19.9)	3 (2.0)	0 (0.2)
		GEV and bl	locks estimator	(95% threshol	d)		
	95%	96%	97%	98%	99%	99.9%	99.99%
Portfolio	139 (99.3)	107 (79.4)	78 (59.6)	54 (39.7)	18 (19.9)	1(2.0)	0 (0.2)
S&P500	97 (159.9)	75 (127.9)	57 (95.9)	34 (64.0)	15 (32.0)	3 (3.2)	2 (0.3)
B&O	89 (99.3)	73 (79.4)	58 (59.6)	44 (39.7)	17 (19.9)	1(2.0)	0 (0.2)
Carlsberg	77 (99.3)	65 (79.4)	46 (59.6)	33 (39.7)	14 (19.9)	0 (2.0)	0 (0.2)
DS 1912	112 (99.3)	90 (79.4)	70 (59.6)	49 (39.7)	21 (19.9)	3 (2.0)	0 (0.2)
ISS	147 (99.1)	129 (79.3)	94 (59.5)	46 (39.6)	20 (19.8)	1(2.0)	0 (0.2)
Novo B	109 (99.3)	88 (79.4)	65 (59.6)	45 (39.7)	21 (19.9)	2 (2.0)	0 (0.2)
Svendborg	118 (99.3)	100 (79.4)	80 (59.6)	58 (39.7)	29 (19.9)	2 (2.0)	0 (0.2)
		GEV and bl	locks estimator	(99% threshol	d)		
	95%	96%	97%	98%	99%	99.9%	99.99%
Portfolio	166 (99.3)	133 (79.4)	99 (59.6)	62 (39.7)	23 (19.9)	1 (2.0)	0 (0.2)
S&P500	88 (159.9)	66 (127.9)	45 (95.9)	31 (64.0)	14 (32.0)	3 (3.2)	2 (0.3)
B&O	86 (99.3)	75 (79.4)	59 (59.6)	45 (39.7)	18 (19.9)	1 (2.0)	0 (0.2)
Carlsberg	102 (99.3)	78 (79.4)	61 (59.6)	42 (39.7)	20 (19.9)	0(2.0)	0 (0.2)
DS 1912	126 (99.3)	104 (79.4)	87 (59.6)	55 (39.7)	27 (19.9)	5 (2.0)	1 (0.2)
ISS	187 (99.1)	156 (79.3)	114 (59.5)	75 (39.6)	27 (19.8)	2 (2.0)	0 (0.2)
Novo B	133 (99.3)	109 (79.4)	81 (59.6)	58 (39.7)	30 (19.9)	4 (2.0)	0 (0.2)
Svendborg	144 (99.3)	121 (79.4)	99 (59.6)				
			GPD				
	95%	96%	97%	98%	99%	99.9%	99.99%
Portfolio	118 (99.3)	98 (79.4)	78 (59.6)	57 (39.7)	20 (19.9)	1(2.0)	0 (0.2)
S&P500	26 (20.8)	26 (16.6)	21 (12.5)	16 (8.32)	5 (4.1)	2 (0.4)	1 (0.04)
B&O	89 (98.9)	74 (79.1)	54 (59.3)	38 (39.5)	16 (19.8)	2 (2.0)	0 (0.2)
Carlsberg	69 (95.6)	56 (76.8)	46 (57.6)	33 (38.4)	16 (19.2)	1 (2.0)	0 (0.2)
DS 1912	98 (74.3)	76 (59.4)	65 (44.6)	41 (29.7)	24 (14.9)	4 (1.5)	1(0.1)
ISS	151 (99.3)	128 (79.4)	95 (59.6)	61 (39.7)	26 (19.9)	3 (2.0)	0 (0.2)
Novo B	116 (99.2)	89 (79.4)	70 (59.5)	50 (39.7)	27 (19.8)	4 (2.0)	1 (0.2)
Svendborg	110 (88.9)	96 (71.1)	68 (53.3)	52 (35.5)	25 (17.8)	4 (1.8)	0 (0.2)

# Backtesting

• compute VaR from the first six years of data, see if it "is violated", i.e. if next days return is lower than VaR, repeat again using six years of data but starting one day later, two days later, ... count number of violations

#### • expected no. of

violations in parentheses

		Backtesting GARCH based	results, violat: extreme value	•			
	95%	96%	97%	98%	99%	99.9%	99.99%
Portfolio	109 (99.3)	91 (79.4)	64 (59.6)	44 (39.7)	18 (19.9)	1(2.0)	0 (0.2)
S&P 500	145 (157.8)	123 (126.2)	88 (94.7)	60 (63.1)	34 (31.6)	6 (3.2)	2 (0.3)
B&O	95 (99.3)	73 (79.4)	53 (59.6)	33 (39.7)	12 (19.9)	2 (2.0)	0 (0.2)
Carlsberg	75 (99.3)	61 (79.4)	45 (59.6)	32 (39.7)	20 (19.9)	0 (2.0)	0 (0.2)
DS 1912	94 (98.3)	66 (78.6)	48 (59.0)	26 (39.3)	11 (19.6)	2(2.0)	1 (0.2)
ISS	144 (98.2)	117 (78.5)	87 (58.9)	57 (39.3)	22 (19.6)	5 (2.0)	0 (0.2)
Novo B	93 (99.3)	75 (79.4)	52 (59.6)	36 (39.7)	18 (19.9)	2(2.0)	0 (0.2)
Svendborg	102 (99.3)	87 (79.4)	60 (59.6)	34 (39.7)	14 (19.9)	3 (2.0)	1 (0.2)
		GARCH based e	extreme value	method, unco	nditional		
	95%	96%	97%	98%	99%	99.9%	99.99%
Portfolio	107 (98.1)	90 (78.4)	66 (58.8)	44 (39.2)	16 (19.6)	0 (2.0)	0 (0.2)
S&P500	98 (143.8)	77 (115.1)	55 (86.3)	30 (57.5)	14 (28.8.0)	2 (2.9)	0 (0.3)
B&O	82 (99.3)	65 (79.4)	52 (59.6)	34 (39.7)	14 (19.9)	0 (2.0)	0 (0.2)
Carlsberg	88 (98.8)	77 (79.0)	62 (59.3)	37 (39.5)	22 (19.8)	0 (2.0)	0 (0.2)
DS 1912	108 (94.8)	87 (75.8)	69 (56.9)	43 (37.9)	20 (19.0)	1(2.0)	0 (0.2)
ISS	114 (81.7)	100 (65.3)	70 (49.0)	41 (32.7)	16 (16.3)	1 (1.6)	0 (0.2)
Novo B	106 (99.2)	87 (79.4)	62 (59.5)	49 (39.7)	25 (19.8)	2 (2.0)	0 (0.2)
Svendborg	115 (98.6)	100 (78.8)	76 (59.1)	56 (39.4)	27 (19.7)	2(2.0)	0 (0.2)

# Backtesting

• compute VaR from the first six years of data, see if it "is violated", i.e. if next days return is lower than VaR, repeat again using six years of data but starting one day later, two days later, ... count number of violations

expected no. of
 violations in parentheses