

Vidar Thomée
Department of Mathematics
Chalmers University of Technology
S-412 96 Göteborg
Sweden

List of publications.

1. Estimates of the Friedrichs-Lewy type for a hyperbolic equation with three characteristics. *Math. Scand.* 3 (1955), 115-123.
2. Estimates of the Friedrichs-Lewy type for mixed problems in the theory of linear hyperbolic difference equation in two independent variables. *Math. Scand.* 5 (1957), 93-113.
3. Existence proofs for mixed problem for hyperbolic difference equation in two independent variables by means of the continuity method. *Math. Scand.* 6 (1958), 5-32.
4. Locally cogent boundary operators. *Math. Scand.* 7 (1959), 5-32.
5. Some Results Concerning Boundary Problems for Partial Differential Equations. (Thesis) Uppsala 1959.
6. Difference methods for two-dimensional mixed problems for hyperbolic first-order systems. *Arch. Rational Mech. Anal.* 8 (1961), 68-88.
7. A mixed boundary value problem for hyperbolic first-order systems with derivatives in the boundary conditions. *Arch. Rational Mech. Anal.* 8 (1961), 435-443.
8. A stable difference scheme for the mixed boundary problem for a hyperbolic first-order system in two dimensions. *J. Soc. Indust. Appl. Math.* 10 (1963), 229-245.
9. Unconditionally stable difference methods for mixed problems for quasi-linear hyperbolic systems in two dimensions. *Comm. Pure Appl. Math.* 15 (1962), 63-73 (with H. B. Keller).
10. A property of bounded normal operators in Hilbert space. *Ark. mat.* 4 (1962), 551-555 (with G. Björck).
11. A difference method for a mixed boundary problem for symmetric hyperbolic systems. *Arch. Rational Mech. Anal.* 13 (1963), 129-136.
12. A predictor-corrector type scheme for the mixed boundary problem for a hyperbolic first-order system in two dimensions. *J. Soc. Indust. Appl. Math.* 11 (1963). 964-975.
13. Elliptic difference operators and Dirichlet's problem. *Contributions to Differential Equations* 3 (1964), 301-324.
14. Stability of difference schemes in the maximum-norm. *J. Differential Equations* 1(1965), 273-292.
15. Stability of difference schemes in L^p , XIV Congr. *Math. Scand.* Copenhagen 1964 (mineographed lecture).
16. On maximum-norm stable difference operators. *Numerical Solution of Partial Differential Equations*, J.H. Bramble ed., Academic Press 1966, 125-151.
17. Parabolic difference operators. *Math. Scand.* 19 (1966), 77-107.

18. Generally unconditionally stable difference operators. *SIAM J. Numer. Anal.* 4 (1967), 55-69.
19. On the rate of convergence for discrete initial-value problems. *Math. Scand.* 21 (1967), 159-176 (with J. Peetre).
20. Elliptic difference equations and interior regularity. *Numer. Math.* 11 (1968), 196-210 (with B. Westergren).
21. Some topics in stability theory for partial difference operators. *Numerical Analysis of Partial Differential Equations*, Edizioni Cremonese, Roma 1968, 443-468.
22. On the rate of convergence of some difference schemes for second order elliptic equations. *Nordisk Tidskr. Informationsbehandling (BIT)* 8 (1968), 154-173 (with J. H. Bramble and R. B. Kellogg).
23. Discrete interior Schauder estimates for elliptic difference operators. *SIAM J. Numer. Anal.* 5 (1968), 626-645.
24. On the convergence of difference quotients in elliptic problems. *Numerical Solution of Field Problems in Continuum Physics*. AMS Providence R. I. 1970, 186-200.
25. Stability theory for partial difference operators. *SIAM Rev.* 11 (1969), 152-195.
26. Stability and convergence rates in L_p for certain difference schemes. *Math. Scand.* 27 (1970), 5-23 (with P. Brenner).
27. Smoothing of initial data and rates of convergence for parabolic difference equations. *Comm. Pure Appl. Math.* 23 (1970), 241-259 (with H. O. Kreiss and O. Widlund).
28. Convergence near plane boundaries of some elliptic difference schemes. *Numer. Math.* 17 (1971), 45-53.
29. Convergence estimates for essentially positive type discrete Dirichlet problems. *Math. Comp.* 23 (1969), 695-710 (with J. H. Bramble and B.E. Hubbard).
30. On the rate of convergence of difference schemes for hyperbolic equations. *Numerical Solution of Partial Differential Equations II*, B. Hubbard ed., Academic Press, New York 1971, 585-622.
31. Estimates near discontinuities for some difference schemes. *Math. Scand.* 28 (1971), 329-340 (with P. Brenner).
32. Contractive difference schemes for symmetric hyperbolic systems. *Math. Comp.* 25 (1971), 205-217 (with P. Brenner).
33. Pointwise bounds for discrete Green's functions. *SIAM J. Numer. Anal.* 6 (1969), 583-590 (with J. H. Bramble).
34. Semidiscrete-least squares methods for a parabolic boundary value problem. *Math. Comp.* 26 (1972), 633-648 (with J. H. Bramble).
35. Some convergence results in elliptic difference equations. *Proc. Roy. Soc. London Ser. A.* 323 (1971), 191-199.
36. Convergence estimates in discrete initial value problems. *Proceedings of the International Congress of Mathematicians. Nice 1970*, Gauthier-Villars, Paris 1971, 321-329.
37. Polygonal domain approximation in Dirichlet's problem. *J. Inst. Math. Appl.* 11 (1973), 33-44.

38. Projection methods for Dirichlet's problem in approximating polygonal domains with boundary-value corrections. *Math. Comp.* 26 (1972), 869-879 (with J. H. Bramble and T. Dupont).
39. Discrete time Galerkin methods for a parabolic boundary value problem. *Ann. Mat. Pura Appl.* 101 (1974), 115-152 (with J. H. Bramble).
40. Approximate solution of Dirichlet's problem using approximating polygonal domains. *Topics in Numerical Analysis*, J.J.H. Miller editor, Academic Press, London and New York 1973, 311-328.
41. Spline approximation and difference schemes for the heat equation. *The Mathematical Foundations of the Finite Element Method with Applications to Partial Differential Equations*. K. Aziz editor, Academic Press, New York and London 1972, 711-746.
42. Convergence estimates for semi-discrete Galerkin methods for initial-value problems. *Numerische, insbesondere approximationstheoretische Behandlung von Funktionalgleichungen*, Springer Lecture Notes in Mathematics 333, Springer-Verlag 1973, 243-262.
43. Convergence rates of a parabolic difference schemes for non-smooth data. *Math. Comp.* 28 (1974), 1-13 (with L. Wahlbin).
44. Convergence estimates for Galerkin methods for variable coefficient initial value problems. *SIAM J. Numer. Anal.* 11 (1974), 1059-1068 (with B. Wendroff).
45. Spline-Galerkin methods for initial-value problems with constant coefficients. *Conference on the Numerical Solution of Differential Equations (Dundee 1973)*, Springer Lecture Notes in Mathematics 363, Springer-Verlag 1974, 164-175.
46. Interior maximum norm estimates for some simple finite element methods. *Rev. Francaise Automat. Informat. Recherche Opérationelle. Sér. Rouge 2* (1974), 5-18 (with J. H. Bramble).
47. Convergence analysis of a finite difference scheme for a simple semi-linear hyperbolic equation. *Numerische Behandlung nicht linearer Integrodifferential- und Differentialgleichungen (Oberwolfach 1973)*, Springer Lecture Notes in Mathematics 395, Springer-Verlag 1974, 149-166.
48. Some convergence results for Galerkin methods for parabolic boundary value problems, *Mathematical Aspects of Finite Elements in Partial Differential Equations*. Carl de Boor ed., Academic Press, New York 1974, 55-88.
49. Error estimates for a finite element approximation of a minimal surface. *Math. Comp.* 29 (1975), 343-349 (with C. Johnson).
50. On Galerkin methods in semilinear parabolic problems. *SIAM J. Numer. Anal.* 12 (1975), 378-389 (with L. Wahlbin).
51. *Besov Spaces and Applications to Difference Methods for Initial Value Problems*. Springer Lecture Notes in Mathematics 434, Springer-Verlag 1975 (with P. Brenner and L. Wahlbin).
52. Convergence analysis of finite difference schemes for semi-linear initial-value problems. *Rev. Francaise Automat. Informat. Recherche Opérationelle, Sér. Rouge*. 10 (1976), 61-86 (with J. Löfström).
53. Some convergence estimates for semidiscrete Galerkin type approximations for

- parabolic equations. *SIAM J. Numer. Anal.* 14 (1977), 218-241 (with J. H. Bramble, A. H. Schatz and L. B. Wahlbin).
54. Some error estimates in Galerkin methods for parabolic equations. *Mathematical Aspects of Finite Element Methods*, Rome 1975. *Lecture Notes in Mathematics* 606, Springer-Verlag 1977, 343-352.
 55. High order local approximations to derivatives in the finite element method. *Math. Comp.* 31 (1977), 652-660.
 56. Single step Galerkin approximations for parabolic problems. *Math. Comp.* 31 (1977), 819-847 (with G. A. Baker and J. H. Bramble).
 57. Some interior estimates for semidiscrete Galerkin approximations for parabolic equations. *Math. Comp.* 33 (1979), 37-62.
 58. On rational approximations of semigroups. *SIAM J. Numer. Anal.* 16 (1979), 683-694 (with P. Brenner).
 59. Galerkin-finite element methods for parabolic equations. *Proceedings of the International Congress of Mathematicians*, Helsinki, Finland 1978, 943-952.
 60. Negative norm estimates and superconvergence in Galerkin methods for parabolic problems. *Math. Comp.* 34 (1980), 93-113.
 61. On rational approximations of groups of operators. *SIAM J. Numer. Anal.* 17 (1980), 119-125 (with P. Brenner).
 62. Error estimates for some mixed finite element methods for parabolic type problems. *RAIRO Analyse numérique* 15 (1981), 41-78 (with C. Johnson).
 63. Maximum norm stability and error estimates in parabolic finite element equations. *Comm. Pure Appl. Math.* 33(1980), 265-304 (with A. H. Schatz and L. B. Wahlbin).
 64. Superconvergence of a finite element approximation to the solution of a Sobolev equation in a single space variable. *Math. Comp.* 36 (1981), 53-65 (with D.N. Arnold and J. Douglas, Jr.).
 65. Some convergence estimates for semi-discrete type schemes for time-dependent nonselfadjoint parabolic equations. *Math. Comp.* 37 (1981), 327-346 (with M. Huang).
 66. Single step methods for linear differential equations in Banach spaces. *Lecture notes*, University of Maryland, January 1981.
 67. Single step methods for inhomogeneous linear differential equations in Banach space. *RAIRO Analyse numérique* 16 (1982), 5-26 (with P. Brenner and M. Crouzeix).
 68. On the backward Euler method for parabolic equations with rough initial data. *SIAM J. Numer. Anal.* 19 (1982), 599-603 (with M. Huang).
 69. An error estimate for H^{-1} Galerkin method for a parabolic problem with non-smooth initial data. *Calcolo* 19 (1982), 115-124 (with M. Huang).
 70. Maximum-norm stability and error estimates in Galerkin methods for parabolic equations in one space variable. *Numer. Math.* 41 (1983), 345-371 (with L. B. Wahlbin).
 71. *Finite Element Methods for Time-dependent Problems*, in Part 1, *FEM Mathematics*, Chapter 6, *Finite Element Handbook*, ed. H. Kardestuncer, McGraw-Hill,

- 1987, pp. 1.179-1.217.
72. Galerkin methods for singular boundary value problems in one space dimension. *Math. Comp.* 42 (1984), 345-367 (with K. Eriksson)
 73. The lumped mass finite element method for a parabolic problem. *J. Austral. Math. Soc. Ser. B* 26 (1985), 329-354 (with C. M. Chen).
 74. Galerkin Finite Element Methods for Parabolic Problems. Springer Lecture Notes in Mathematics. No. 1054, 1984.
 75. Time discretization of parabolic problems by the discontinuous Galerkin method. *RAIRO M2AN* 19 (1985), 611-643 (with K. Eriksson and C. Johnson)
 76. Superconvergence of the Galerkin iterates for integral equations of the second kind. *J. Integral Equations* 9 (1985), 1-23 (with I. H. Sloan).
 77. The finite difference vs. the finite element method for the solution of boundary value problems. *Bull. Austral. Math. Soc.* 29 (1984), 267-288.
 78. A lumped mass finite element method with quadrature for a nonlinear parabolic problem. *IMA J. Numer. Anal.* 5 (1985), 371-396 (with Y. Y. Nie).
 79. On the discretization in time of semilinear parabolic equations with non-smooth initial data. *Math. Comp.* 49 (1987), 359-377 (with M. Crouzeix).
 80. The lumped mass finite element method for parabolic equations. *Numerical Mathematics and Applications*, R. Vichnevetsky and J. Vignes, editors, Elsevier Science Publishers B.V. (North Holland), IMACS, 1986.
 81. Time discretization of an integro-differential equation of parabolic type. *SIAM J. Numer. Anal.* 23 (1986), 1052-1061 (with I. H. Sloan).
 82. The stability in L_p and W_p^1 of the L_2 projection onto finite element functions spaces. *Math. Comp.* 48 (1987), 521-532 (with M. Crouzeix).
 83. An a posteriori error estimate and automatic time step control for a backward Euler discretization of a parabolic problem. *SIAM J. Numer. Anal.* 27 (1990), 277-291 (with C. Johnson and Y.Y. Nie).
 84. Error estimates for finite element methods for semilinear parabolic problems with nonsmooth data. *Proceedings of the International Conference on Differential Equations and their applications (Equadiff 6)*, Brno, August 26-30, 1985, J.E. Purkyne University, Department of mathematics, Brno, pp.339-344.
 85. Error estimates for spatially discrete approximations of semilinear parabolic equations with nonsmooth initial data. *Math. Comp.* 49 (1987), 331-357 (with C. Johnson, S. Larsson and L.B. Wahlbin).
 86. Finite Difference Methods for Linear Parabolic Equations. *Handbook of Numerical Analysis*, ed. P. G. Ciarlet and J. L. Lions, North-Holland, 1990.
 87. Superconvergence of the gradient in piecewise linear finite element approximation to a parabolic problem. *SIAM J. Numer. Anal.* 26 (1989), 553-573 (with J.-C. Xu and N.-Y. Zhang).
 88. Numerical solution of semilinear integrodifferential equations of parabolic type with nonsmooth data. *SIAM J. Numer. Anal.* 26 (1989), 1291-1309 (with M.-N. LeRoux).
 89. Interpolation of coefficients and transformation of the dependent variable in finite element methods for the nonlinear heat equation. *Mathematical Methods in*

- Applied Science 11 (1989), 105124 (with S. Larsson and N.-Y Zhang).
90. Error estimates for spatially discrete approximations of semilinear parabolic equations with initial data of low regularity. *Math. Comp.* 53 (1989), 24-41 (with M. Crouzeix and L.W. Wahlbin).
 91. Error estimates for semidiscrete finite element methods for parabolic integrodifferential equations. *Math. Comp.* 53 (1989), 121-139 (with N.-Y. Zhang).
 92. On the numerical solution of integrodifferential equations of parabolic type. Proceedings of "International Conference on Numerical Methods, Singapore 1988. International Series of Numerical Mathematics 86 (1988), 477-493.
 93. Incomplete iterations in multistep backward difference methods for parabolic problems with smooth and nonsmooth data. *Math. Comp.* 52 (1989), 339-367 (with J.H. Bramble, J.E. Pasciak, and P.H. Sammon).
 94. Ritz-Volterra projections to finite element spaces and applications to integrodifferential and related equations. *SIAM J. Numer. Anal.* 28 (1991), 1047-1070 (with Y. Lin and L.B. Wahlbin).
 95. Finite element methods for a strongly damped wave equation. *IMA J. Numer. Anal.* 11 (1991), 115-142 (with S. Larsson and L.B. Wahlbin).
 96. Finite element approximation of a parabolic integro-differential equation with a weakly singular kernel. *Math. Comp.* 58 (1992), 587-602 (with C. Chen and L.B. Wahlbin).
 97. Numerical methods for hyperbolic and parabolic integro-differential equations. *J. Integral Equations* 4 (1992), 533-584 (with A.K. Pani and L.B. Wahlbin).
 98. Numerical solution of an evolution equation with a positive type memory term. *J. Austral. Math. Soc. Ser. B.* 35 (1993), 23-70 (with W. McLean).
 99. Numerical methods for hyperbolic integro-differential equations, in *Numerical Analysis 1991, Proceedings of the 14th Dundee Conference, June 1991*, ed. D.F. Griffiths and G.A. Watson, Pitman Research Notes in Mathematics, Longman Scientific & Technical, 1992, pp.219-233.
 100. The stability of rational approximations of analytic semigroups. *BIT* 33 (1993), 74-84 (with M. Crouzeix, S. Larsson, and S. Piskarev).
 101. Long-time numerical solution of a parabolic equation with memory, *Math. Comp.* 62 (1994), 477-496 (with L.B. Wahlbin).
 102. Completely discrete methods for parabolic equations with memory. Proceedings from ICCDD, International Conference Computation of differential equations and dynamical systems, Beijing September 1-5, 1992.
 103. Approximate solution of O.D.E.s in Banach space - rational approximation of semigroups. *Advances on Computer Mathematics and its Applications*, ed. E.A. Lipitakis. World Scientific Publishing Co., Singapore, 1993, pp. 73-84.
 104. Backward Euler type methods for parabolic integro-differential equations with non-smooth data, in *Contributions in Numerical Mathematics*, ed. R.P. Agarwal, World Scientific Series in Applicable Analysis, World Scientific Publishing Co., Singapore, 1993, pp. 373-388 (with N.-Y. Zhang).
 105. Resolvent estimates for elliptic finite element operators in one dimension. *Math. Comp.* 63 (1994), 121-140. (with M. Crouzeix and S. Larsson)

106. Finite element methods for parabolic problems - some steps in the evolution Proceedings of "Fifty years of the Courant Element", Jyväskylä University, Marcel Dekker, Inc., 1994, pp. 433-442.
107. Asymptotic behavior of semidiscrete finite element approximations of Biot's consolidation problem. *SIAM J. Numer. Anal.* 33 (1996), 1065-1083. (with M.A. Murad and F.D. Loula).
108. Discretization with variable time steps of an evolution equation with a positive type memory term. *J. Comput. Appl. Math.* 69 (1996), 49-69. (with W. McLean and L.B. Wahlbin).
109. Numerical methods for ultraparabolic equations. *Calcolo* 31 (1994), 179-190 (with G. Akrivis and M. Crouzeix).
110. Nonsmooth data error estimates for approximations of an evolution equation with a positive type memory term. *Math. Comp.* 65 (1996), 1-17 (with C. Lubich and I.H. Sloan).
111. On multigrid methods for parabolic problems. *J. Comput. Math.* 13 (1995), 193-205 (with S. Larsson and S.Z. Zhou).
112. Approximate solution of $u' = -A^2u$ using a relation between $\exp(-tA^2)$ and $\exp(itA)$. *Numer. Funct. Anal. Optim.* 16 (1995), 1087-1096 (with A. S. Vasudeva Murthy).
113. Numerical solution of parabolic integro-differential equations by the discontinuous Galerkin method. *Math. Comp.* 67 (1998), 45-71. (with Stig Larsson and Lars Wahlbin)
114. Asymptotic behavior of numerical solutions of an evolution equation with memory. *Asymptotic Analysis* 14 (1997), 257-276. (with W. McLean)
115. Backward Euler type methods for parabolic integro-differential equations in Banach space. *RAIRO M2AN* 32 (1998), 85-99 (with N. Yu. Bakaev and S. Larsson)
116. Galerkin Finite Element Methods for Parabolic Problems. Springer Series in Computational Mathematics, vol. 25, Springer-Verlag, Berlin Heidelberg, 1997
117. Stability, analyticity, and almost best approximation in maximum-norm for parabolic finite element equations. *Comm. Pure Appl. Math.* 51 (1998), 1349-1385 (with A.H. Schatz and L.B. Wahlbin)
118. A numerical method for the Benjamin-Ono equation *BIT* 38 (1998), 597-611 (with A.S. Vasudeva Murthy)
119. A parallel method for time-discretization of parabolic problems based on contour integral representation and quadrature. *Math. Comp.* 69 (1999), 177-195. (with D. Sheen and I. H. Sloan)
120. Long time behavior of backward difference type methods for parabolic equations with memory in Banach space. *East-West J. Numer. Math.* 6 (1998), 185-206. (with N. Yu. Bakaev and S. Larsson)
121. Stability and analyticity in maximum-norm for simplicial Lagrange finite element semidiscretizations of parabolic equations with Dirichlet boundary conditions. *Numer. Math.* 87 (2000), 373-389. (with L. Wahlbin)
122. From finite differences to finite elements. A short history of numerical analysis of partial differential equations. *J. Comp. Appl. Math.* 128 (2001), 1-54.

123. Resolvent estimates in l_p for discrete Laplacians on irregular meshes and maximum-norm stability of parabolic finite difference schemes CMAM 1 (2001), 3-17. (with M. Crouzeix)
124. Maximum-norm estimates for resolvents of elliptic finite element operators, Math. Comp. 72 (2003), no 244, 1597-1610. (with N. Yu. Bakaev and L.B. Wahlbin)
125. Partial Differential Equations with Numerical Methods Springer Texts in Applied Mathematics, No. 45, Springer-Verlag, Berlin Heidelberg, 2003. (with Stig Larsen)
126. A parallel method for time-discretization of parabolic equations based on Laplace transformation and quadrature, IMA J. Numer. Anal. 23 (2004), no. 2, 269-299. (with D. Sheen and I. H. Sloan)
127. Time discretization of an evolution equation via Laplace transforms, IMA J. Numer. Anal. 24 (2004), 439 – 463. (with W. McLean)
128. Error estimates for the finite volume element method for parabolic equations in convex polygonal domains, Numer. Methods Partial Differential Equations 20 (2004), 650 – 674. (with P. Chatzipantelidis and R.D. Lazarov)
129. Maximum-norm estimates for finite-element methods for a strongly damped wave equation, BIT 44 (2004), 165 - 129. (with L.B. Wahlbin)
130. A high order parallel method for time discretization of parabolic type equations based on Laplace transformation and quadrature, Int. J. Numer. Anal. Model. 2 (2005), 85–96.
131. Time discretization via Laplace transformation of an integro-differential equation of parabolic type, Num. Math. 102 (2006), 497 - 522. (with W. McLean and I. H. Sloan)
132. Galerkin Finite Element Methods for Parabolic Problems. Springer Series in Computational Mathematics, vol. 25, Springer-Verlag, Berlin Heidelberg, 2006.
133. Parabolic finite element equations in nonconvex polygonal domains, BIT 46 (2006), 113 - 143. (with P. Chatzipantelidis, R.D. Lazarov and L.B. Wahlbin)
134. Maximum-norm resolvent estimates for elliptic operators on nonquasiuniform triangulations, RAIRO M2AN 40 (2006), 923 - 937. (with N.Yu. Bakaev and M. Crouzeix)
135. Maximum-norm stability, smoothing and resolvent estimates for parabolic finite element equations, ESAIM 21 (2007), 98–107.
136. On the existence of maximum principles in parabolic finite element equations, Math. Comp. 77 (2008), 11–19 (with L.B. Wahlbin)
137. Numerical solution via Laplace transforms of a fractional order evolution equation, J. Integral Equations Appl. 22 (2010), 57–94 (with W. McLean).
138. Maximum-norm error analysis of a numerical solution via Laplace transformation and quadrature of a fractional order evolution equation, IMA J. Numer. Anal. 30 (2010), 208–230 (with W. McLean).
139. Parabolic finite volume element equations in nonconvex polygonal domains, Numer. Methods Partial Differential Equations 25 (3) (2009), 507–525 (with P. Chatzipantelidis and R.D. Lazarov).

140. Some error estimates for the lumped mass finite element method for a parabolic problem, to appear in *Math. Comp.* (with P. Chatzipantelidis and R.D. Lazarov).
141. On positivity and maximum-norm contractivity in time stepping methods for parabolic problems, to appear in *CMAM* (with A.H. Schatz and L.B. Wahlbin)